www.westonandsampson.com



February 17, 2011

Ms. Grissel V. Diaz-Cotto **Emergency and Remedial Response Division** United States Environmental Protection Agency Region II 290 Broadway, 19th Floor New York, NY 10007-1866

Re:

**January 2011 Discharge Monitoring Report** Leachate Treatment Plant, Operable Unit 1 **Kin-Buc Landfill Superfund Site** 

Dear Ms. Diaz-Cotto:

Please find enclosed the January 2011 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit One at the Kin-Buc Landfill Superfund Site.

Weston & Sampson Services, Inc. would like to confirm the following:

- Effluent parameters were within permitted limits.
- The treatment plant operated well during the month of January.

Should you have any questions concerning this DMR or the Treatment Plant, please contact me at your earliest convenience at the Kin-Buc site.

Very truly yours,

Weston & Sampson Services, Inc., on behalf of SCA Services, Inc.

Glenn Grieb

Plant Manager

Enclosure

Cc: Martha Goodwin - NJDEP

> Stephen Joyce – SC Holdings, Inc. Carl Januszkiewicz – SC Holdings, Inc.

John A. Bocchino, Jr. - Weston & Sampson Services, Inc.

307581 

96 South Main Street

301 Manchester Road Suite 201A 1990 Main Street

Bourne, MA 02532

# NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF WATER QUALITY

#### MONITORING REPORT - TRANSMITTAL SHEET

	Ĺ	NJPDES NO.  *	REPORTING PERIOD  M o. Y r. M o. Y  0 11 11 11 0 11 11	<u>, r.                                    </u>
PERMITTEE:	Name: Address:	SCA Services, Inc. 383 Meadow Road	ورسان و المراجعة والمراجعة والمراجع والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة	
FACILITY:	Name: Address:	Edison, New Jersey 0881 Kin-Buc Landfill 383 Meadow Road		
	Telephone:	Edison, New Jersey 0881 732-572-4743	/	
FORMS ATTACHE	O (Indicate Quant	<u>tity</u> of Each)	Operating Exceptions	
SLUDGE REPORT- T-VWX-007 T EPA Form 3320-	-VWX-008 T-	VWX-009	DYE TESTING	YES NO
SLUDGE REPORT	INDUSTRIAL		TEMPORARY BYPASSING	_ <u>x</u>
T-VWX-010A			DISINFECTION INTERRUPTION	X
T-VWX-011 T		VWX-013	MONITORING MALFUNCTIONS	_ <u>x</u>
GROUNDWATER F T-VWX-015(A,B) ELECTRONIC S	T-VWX-016	T-VWX-017	UNITS OF OPERATION OTHER	_ <u>x</u>
NPDES DISCHARG			(Detail any "Yes" on reverse side in a	ippropriate space.)
	•		NOTE: The "Hours Attended at Plan this sheet must also be completed.	t" on the reverse of
or supervision in acc or those persons dir and belief, true, acc	cordance with a s ectly responsible urate, and compl	ystem designed to assure my for gathering the information,	ent and all attachments were prepared under inquiry of the person or persons who manage the information submitted is, to the best of m a significant penalties for submitting false infor- tions.	e the system y knowledge
LICENSED OPERA	TOR		PRINCIPAL EXECUTIVE OFFICER ( DULY AUTHORIZED REPRESENTA	
Name (Printed) Grade & Registry No	Glenn Greb b. N-4; 002/21:	2 /1	Name (Printed) Glenn Grieb Title (Printed) Flient Operation	Manager

Date Feburary 17, 2011	<del></del>		C	)ate	<del></del>	Fe	bura	ary 1	7, 2	2011	<u></u>					·····
										1						
OPERATING EXCEPTIONS DETAILE	D															
distribution of the second of																
				·										-,		<del></del>
				<del></del>		<del></del>	· , ,						· · · · · ·			
		- <del>2</del>		1 1			<del></del>									
			,						-							
		•	•••		-										-	<del></del>
				Ta 1.0 (												
						· · · · · ·										
															<del></del>	<del></del>
								<del></del>			····				<del></del>	
					<del> </del>	·	شــسنــ		<del></del>							
	<del></del>	<del></del>			:								<del></del>			<del>,</del>
			*					<del>,</del>					<u> </u>	· · ·	- · · · · · · · · · · · · · · · · · · ·	<del></del>
		120 F					w	1.								
														,		<del></del>
														_		
HOURS ATTENDED AT PL	ANT	•		MO	NTH	ł	0	1		YE/	\R	1	1			
Day of Month	4	ا ر	3		-		- T	•		461	44	44	24	44	2 11	1461
Licensed Operator	0	0	8	<b>4</b> 8	5	8	7	8	9	10 8	11 8	12 8	13 8	14 8	15	16 0
Others		4	4	8	8	8	8	4	4	4	4	8	8	8	4	4
Day of Month						22					27	28		30	31	
Licensed Operator		0	0	8	8	0	0	8	0	4	8	0	0	0	8	$\neg$

Others

NAME ADDRESS SCA SERVICES, INC. 383 MEADOW ROAD

**EDISON, NEW JERSEY 08817** 

FACILITY LOCATION KIN-BUC LANDFILL EDISON, NEW JERSEY CARL JANUSZKIEWICZ

## NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM DISCHARGE MONITORING REPORT

		Q	UANTITY OR LOADING			QUALITY OR CONCENTRA	TION		NO.	FREQUENCY	SAMPLE
PARAMETER		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	EX	OF ANALYSIS	TYPE
FLOW	SAMPLE MEASUREMENT FERNAT RECHASINEMENT	0.022524	0.027497	MGD	•••••	••••••	•••••	***	***	continuous	flow meter
pH	BAMPLE MEABUREMENT	REPORT		***	7.71		8.43	S.U.	.0	continuous.	, flow meter. grab
	PERMIT RECUREMENT	-min	1,000,00		60	enane.	9.0 s		ļ	waekly	ģrab
PETROLEUM HYDROCARBONS	BAMPLE MEASUREMENT REPMIT	*******	*******	***	*******	<0.898	1.5	mg/l	0	2/month	grab
COD	BEQUIREMENT SAMPLE MEASUREMENT	22.14	26.61	kg/day	entaine.	250	<b>46</b> 281	mg/l	0	2/marth 2/month	grab comp.
BOD	PERMIT 2 DECUREMENT 2	" = REPORT	ONLY		1011514- E	REPORT	dNey :			2/month	енир
	MEASUREMENT  PERMIT  BREQUIREMENT	ennen.	**************************************	***	•••••	<6.71 56	<9.53	mg/l	0	2/month	comp.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	0.40	0.85	kg/day	•••••	4.30	8.40	mg/l	0	1/week	comp.
DISSOLVED OXYGEN	RECAUTEMENT.  SAMPLE MEASUREMENT	REPÓRT	PONLY		and the second	30	45(1) s			agweekty	сопр
	PERMIT PROPERTY.	······································	*******	***	6:90 a.u. Min matantaneous	A	······································	mg/l	0	1/week weekly	grab grab
NAME/TITLE PRINCIPAL EXECUTIVE OF Glenn Grieb Project Manager	FICER		submitting false information, inclu	ediately respo , and complete ding the possit	nsible for obtaining a. I am aware that bility of fine and	SIGNATURE OF PRINCIPAL	Anb	732 AREA	TELEPHOI	NE .	DATE 11 02 17
TYPED OR PRINTED COMMENTS AND EXPLANATIONS OF ANY VIOLATION	is	include fines up to \$10,000 and of (REFERENCE ALL ATTACH	r maximum imprisonment of betw	-	der these statutes may and 5 years)	OFFICER OR AUTHORIZED	,	CODE	NUM	BER	YEAR MO DAY

PAGE 1 OF 6

NAME ADDRESS SCA SERVICES, INC. 383 MEADOW ROAD EDISON, NEW JERSEY 08817

FACILITY. LOCATION ATTN:

KIN-BUC LANDFILL **EDISON, NEW JERSEY** CARL JANUSZKIEWICZ

### NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM DISCHARGE MONITORING REPORT

001 DISCHARGE NUMBER NJ PERMIT EQUIVALENT PERMIT NUMBER MONITORING PERIOD YEAR MO DAY YEAR MO DAY 11 01 01 11 01 31

PARAMETER	:	Q	UANTITY OR LOADING			QUALITY OR CONCENTRA	NO.	FREQUENCY	SAMPLE TYPE		
:		AVERAGE	MUMIXAM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	1	ANALYSIS	
BENZENE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	<0.0000173	<0.0000184	kg/day		<0.20	<0.22	ug/L	0	2/month B/mentri	grab grab
CHLOROBENZENE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	<0.000194	<0:0000224 0:0048	kg/day	••••••••••••••••••••••••••••••••••••••	<0.22	<0.22	ug/L	o	2/month	grab
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	<0.0000172	<0.0000199	kg/day		<0.20	<0.20	ug/L	0	2/month	grab grab
ETHYLBENZENE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	<0.0000207	<0.0000240 0.0058	kg/day		<0.24	<0.24	ug/L	0	2/month	greb
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT PERMIT REQUIREMENT	<0.0000220 0.008	<0.0000255 9.925	kg/day		<0.25	<0.25	ug/L	0	2/month	grab
TOLUENE	SAMPLE MEASUREMENT PERMIT REMUREMENT	<0.0000158	<0.0000168	kg/day		<0.18	<0.20	ug/L	0	2/month	greb
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT PERMIT PERMIT	<0.0000163 - 0.004	<0.0000189 11.909	kg/day	•••••	<0.19	<0.19	ug/L	0	2/month	grab grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  Glenn Grieb  Project Manager		do continued to the that I have a countries of the that I have a countries herein, and based on my inqueste the submitted is there are significant penaltics for submit imprisonment. See 16 U.S.C. (001 & 3	utry of those individuals immediately resp information is true, accurate, and compl liting fates information, including the pos	ponsible for obtair etc. I am aware t	the Stene Shib			732 AREA	TELEPH 572-474	IONE	DATE 11  02   17
TYPED OR PRINTED COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		include thes up to \$10,000 and or mad (REFERENCE ALL AT	trium Imprisonment of between 6 month			OFFICER OR AUTHO		CODE		JMBER	YEAR MO DAY

NAME ADDRESS SCA SERVICES, INC. 383 MEADOW ROAD

**EDISON, NEW JERSEY 08817** 

FACILITY LOCATION ATTN: KIN-BUC LANDFILL EDISON, NEW JERSEY CARL JANUSZKIEWICZ

#### NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM DISCHARGE MONITORING REPORT

		·					11 101 1 01				
PARAMETER			QUANTITY OR LOADING			QUALITY OR CONCENTRA	TION	NO. EX	FREQUENCY	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	]	ANALYSIS	
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.0000216	<0.0000250	kg/day	*******	<0.25	<0.25	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	90 0 QOA 990	00010		********	26	60			2/manth  1/week  Whiskly  1/month  month  1/month	grap
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0:0000186	<0.0000245	kg/day	******	<0.19	<0.24	ug/L	0		grab
	PERMIT REQUIREMENT	0.008	0,016		errene .	62.8	108			weekly	grab
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.0000435	<0:0000505	kg/day	******	<0.495	<0.495	ug/L		1/month	
	PERMIT REQUIREMENT	0.00026	0.00062	Agrou)	and the same of th	172	646	ab.			grab grab
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.0000431	<0.0000500	kg/day	******	<0.49	<0.49	ug/L	0		grab
	PERMIT REQUIREMENT	0/00028	0.00052		**************************************	1/12	3.46	ug/L		nonthy	grab
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.0000405	<0.0000469	kg/day		<0.460	<0.480	ug/L	0	1/month	grab
	PERMIT RECUIREMENT	0,00028	0.00052		erroman, S	172	945			monthly	grab
BENZO(ghi)PERYLENE	SAMPLE MEASUREMENT	<0.0000383	<0.0000444	kg/day	*******	<0.435	<0.435	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	-0.00096	0000552	·	- Heren	172	748			nenthly	grab
BENZO(k)FLUORANTHENE	SAMPLE MEASUREMENT	<0.0000405	<0.0000469	kg/day	******	<0.460	<0.460	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0,00026	0.00052		esensi	/1172	<b>4</b> 348			monthly	greb
NAME/TITLE PRINCIPAL EXECUTIVE (	OFFICER	4	personally examined and I am familiar wit						TELEPH		DATE
Glenn Grieb Project Manager		the information, I believe the submitted i	ity of those individuals immediately respondent information is true, ecourate, and complet ting false information, including the possi	a. I am aware tha	~	Glenn	Onb	732	572-474	3	11  02   17
	· · · · · · · · · · · · · · · · · · ·	Imprisonment. See 18 U.S.C. 1001 & 3			r these statutes may	SIGNATURE OF PRINCIPAL	EXECUTIVE	AREA			
TYPED OR PRINTED COMMENTS AND EXPLANATIONS OF ANY VIOLATION	ons	(REFERENCE ALL ATTACH	imum imprisonment of between 6 month MENTS HERE)	s and 5 years)		BER	YEAR MO DAY				

< 0.00017

NAME ADDRESS SCA SERVICES, INC. 383 MEADOW ROAD

**EDISON, NEW JERSEY 08817** 

FACILITY LOCATION ATTN: KIN-BUC LANDFILL EDISON, NEW JERSEY CARL JANUSZKIEWICZ

### NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM DISCHARGE MONITORING REPORT

					11 01 01		11 1 01 1 31	<u> </u>					
PARAMETER			QUANTITY OR	LOADING		NTRATION		NO. EX	FREQUENCY OF	SAMPLE			
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	5	ANALYSIS	1		
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.0000398	<0.0000459	kg/day		<0.450	<0.450	ug/L	0	1/month	grab		
	PERMIT REQUIREMENT	0,08028	Ó.00082		Actions	172 8	3.49			monthly	grati		
PHENANTHRENE	SAMPLE MEASUREMENT	<0.0001889	<0.0003712	kg/day	******	<2.048	<3.6	ug/L	0	1/week	grab		
	PERMIT. PEQUIREMENT	REPORT	CNLY			REPORT ONLY	54(2)			weakly	grab		
ALDRIN	SAMPLE MEASUREMENT	<0.0000013	<0.0000018	kg/day	******	<0.014	<0.018	ug/L	0	1/month	grab		
	PÉRMIT REQUIREMENT	=0.080133	0.00686		4	0.0875	0.178			monthly	grab		
4,4-DDT	SAMPLE MEASUREMENT	<0.0000009	<0.0000012	kg/day	*******	<0:010	<0.012	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	0.0000678	0.000746			i je	0786			Weekly	grab ?		
PCB-1242	SAMPLE MEASUREMENT	<0.0000151	<0.0000175	kg/day	******	<0.17	<0.17	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	F REPORT **	ONLY		i continue	REPORT ONLY	0.6(4)			svenklý	gee		
PCB-1248	SAMPLE MEASUREMENT	<0.0000183	<0.0000227	kg/day	*****	<0.20	<0.22	ug/L	0	1/week	grab		
	PERMIT RECURREMENT	REPORT	ONLY		(c) account	REPORT ONLY	0.6(2)			• weekly	grab		
PCB-1254	SAMPLE MEASUREMENT	<0.0000105	<0.0000144	kg/day	******	<0.12	<0,14	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	REPORT	CNLY		- Carrer	HERPRI ONLY	0.5(2)			weakly.	greis		
NAME/TITLE PRINCIPAL EXECUTIVE OF	FICER		t I have personally examined and			1//	71 .		TELEPHON		DATE		
Glenn Grieb Project Manager		submitted herein, and based on my inquiry of those individuals immediately respon the information, I believe the submitted information is true, accurate, and complete there are significant penalties for submitting fighs information, including the possible			ete. I am aware that	Elenn	Shib	732	572-4743	3	11  02   17		
	<del></del>	Imprisonment. See 18 U.S.C. 1		•	der these statutes may	SIGNATURE OF PRINCIPA	L EXECUTIVE	AREA					
TYPED OR PRINTED			or maximum imprisonment of bo	stween 6 monti	ha and 5 years)	OFFICER OR AUTHORIZE	DAGENT	CODE	NUME	BER	YEAR MO DA		
COMMENTS AND EXPLANATIONS OF ANY VIOLATION	5	(REFERENCE ALL ATTAC	HMENTS HERE)				<u>.</u>						

NAME ADDRESS SCA SERVICES, INC. 383 MEADOW ROAD

**EDISON, NEW JERSEY 08817** 

FACILITY LOCATION ATTN: KIN-BUC LANDFILL EDISON, NEW JERSEY CARL JANUSZKIEWICZ

#### NATIONAL POLLUTANT DISCHARGE: ELIMINATION SYSTEM DISCHARGE MONITORING REPORT

	<del></del>	Note that the state of the stat										
PARAMETER		G	WANTITY OR LOADING	i	QUALITY OR CONCENTRA	NO. EX	FREQUENCY		SAMPLE			
	<u> </u>	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	1	ANALYSIS	İ	
PCB-1260	BAMPLE MEABUREMENT	<0.0000154	<0.0000224	kg/day	*******	<0.17	<0.22	ug/L	0	1/week		grab
	PERMIT REGULENCE	REPORT	CNITY S			REPORT CHLY	0409			weekly		grab :
ARSENIC	SAMPLE MEASUREMENT	0.0009299	0.0014479	kg/day	*****	10.40	14.50	ug/L	0	1/week		comp
	AFORT PEOUSPAINT	0018	0.006		1 - m.	2 2 85 H	177			weekly		comp
CADMIUM	8AMPLE MEASUREMENT	<0.0000871	<0.0000990	kg/day	******	0.7	1.0	ug/L	0	1/week		comp
·	PEPINT REGULAÇÃO	00 <b>079</b>	(00)			46.2	SP.			. ripedi		comp
CHROMIUM	SAMPLE MEASUREMENT	0.0003585	0.0005465	0.0005465 kg/day	*******	3.90	5.30	ug/L	O	1/week		comp
	REQUIREMENT	0.080	0.000		arriva,	98	396			workly		овтр
COPPER	SAMPLE MEASUREMENT	0.0002340	0.0002508	kg/day	SANTEN CANADA CA	2.8	3.0	ug/L	0	1/week		comp
	REQUIREMENT	PEPCRT	CNLY			REPORT ONLY	10			( treetly		comp
LEAD	SAMPLE MEASUREMENT	0.0003297	0.0008352	kg/day	4444444	3.44	8.10	ug/L	0	1/week		comp
	PERIO PERIOREMEN	REPORT:	ENLY			RESORTIONLY	70			WEEKY		comp
NICKEL	SAMPLE MEASUREMENT	0.0034890	0.0039183	kg/day	*******	38.8	41.5	ug/L	0	1/week		comp
	PERMIT RECUMBINES	0.140	0.201		- <del>1723</del>	er ger	1860			vendy.		comp
NAME/TITLE PRINCIPAL EXECUTIVE OF	FICER		I have personally exemined and I			1 11 ,	11, 5		TELEPHON	(E		DATE
Glenn Grieb Project Manager		submitted herein, and based on my inquity of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of time and				Slen	Klib		572-474:	3	11	02   17
TYPED OR PRINTED		Imprisonment. See 18 U.S.C. 10 include fines up to \$10,000 and o	01 & 33 U.S.C. 1319. or maximum imprisonment of betwe		der these statutes may and 5 years)	SIGNATURE OF PRINCIPAL OFFICER OR AUTHORIZED		AREA CODE	NUME	RER	YEAR	MO DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATION	S	(REFERENCE ALL ATTACH			<del></del>	TO THE PROPERTY OF	riyaiti	1000	140/012	ZP()	<u> </u>	p

NAME ADDRESS SCA SERVICES, INC. 383 MEADOW ROAD

**EDISON, NEW JERSEY 08817** 

FACILITY LOCATION ATTN: KIN-BUC LANDFILL EDISON, NEW JERSEY CARL JANUSZKIEWICZ

# NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM DISCHARGE MONITORING REPORT

					11 01 101		11 1 01 1 31	J				
PARAMETER		Q	NUANTITY OR LOADING			QUALITY OR CONCENTRATION						SAMPLE TYPE
,		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS		ANALYSIS	1	. –
ZINC	SAMPLE MEASUREMENT	0:0008409	0.0008322	kg/day	********	7.3	11.3	ug/L	0	1/week		comp
	PERMIT: RECORRESENT	0177	0.356		en e	1170	2966			e weedy		comp
CYANIDE	SÄMPLE MEASUREMENT	<0.0008304	<0.0008157	kg/day	41111111	<7.0	<8.0	ug/L	0	1/week		oomp
	PERBUT PRECUMEMENT	0.002	0.004		enter	18.2	29.4			weeth		comp
ALUMINUM	SAMPLE MEASUREMENT	0.0312430	0.0599030	kg/day	******	321.0	587.5	ug/L	0	1/week		comp
) }	PERSON PROVIDENTS	rai.	781			9240	18500		-	waskiy		Comp
IRON	SAMPLE MEASUREMENT	0.0147331	0.0294672	kg/day	******	154:5	289.0	ug/L	0	1Aveek		comp
	PERMIT PREQUEREMENT	80.6	160			532609	± 1070000			waskly		comp +
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT	QUARTELY	REPORT		n/a	******	******	%	0		,	
	PERMIT REQUIPEMENT				50(3)					See permit	70	guivaiens
Ammonia	8AMPLE MEASUREMENT	4024460	******		******	0.158	0.165	mg/l	0	******		*******
	PERMIT PERMIT SERVI		*******		and the second	//9	10.0			Zhiqiyi		cellip
	SAMPLE MEASUREMENT	400000	4001400	***	******	******	******	•••	***	******		******
	PERMIT RECHTREMENT	n i i i i i i i i i i i i i i i i i i i			g <del>eng</del> e-	7=	7		:	App.		-100-
NAME/TITLE PRINCIPAL EXECUTIVE (	FFICER		I have personally examined and a			1 1140	11.		TELEPHON	VE		DATE
Glonn Crish			ny inquiry of those individuals imme			1 <i>\\</i> ///	Maria					
Glenn Grieb Project Manager			mitted information is true, accurate submitting false information, inclu			I TYVOMAN	/W/T		lezo 4= 4	0		00   47
i iojout manager		imprisonment. See 18 U.S.C. 10			olity of tine and der these statutes may	SIGNATURE OF PRINCIPAL	EXECUTIVE	732 AREA	572-474	3	11	02 17
TYPED OR PRINTED		4	or maximum imprisonment of betwe	- , .		OFFICER OR AUTHORIZE	<b>/</b>	CODE	NUM	950	YEAR	MO DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIC	NS	(REFERENCE ALL ATTACH				JOFFICER OR AUTHORIZE	AOEM	CODE	NUM	95 <u>R</u>	LIEAR	MO DAY